



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

NO.1, JALAN SURIA PARK 1, SURIA PARK KAWASAN PERINDUSTRIAN KG. BARU BALAKONG, 43300 SERI KEMBANGAN, SELANGOR D. E.

WWW.THEBEST.COM.MY | SALES@THEBEST.COM.MY | H/P: 019-221 8188 | TEL: 03-8962 2822 | FAX: 03-8962 2832

GENERATOR DB BOARD & BARRICADE CATALOGUE + **PRICE** (*Version 29AC+02*)

1

<u>No</u>	<u>Page</u>	<u>Descriptions</u>	<u>Category</u>
no 1	Pg. 13 - 10	Event Barricade 3ft x 6ft	Barricade
no 2	Pg. 13 - 9	Garden Wooden Barricade - White	Barricade
no 3	Pg. 13 - 11	Net Barricade 5ft x 7ft	Barricade
no 4	Pg. 13 - 12	Solar Barricade Light	Barricade
no 5	Pg. 13 - 12	Traffic Cone	Barricade
no 6	Pg. 13 - 7	Cable Ramp 2 Channel	Cable Ramp
no 7	Pg. 13 - 7	Cable Ramp 5 Channel	Cable Ramp
no 8	Pg. 13 - 5	DB Junction Box - JB1	DB Board
no 9	Pg. 13 - 4	Distribution Board (DB Board) - DB2	DB Board
no 10	Pg. 13 - 4	Distribution Board (DB Board) - DB3	DB Board
no 11	Pg. 13 - 5	Mini MCB Board - M1	DB Board
no 12	Pg. 13 - 5	RCD 13Amp	DB Board
no 13	Pg. 13 - 3	Power Generator (Genset) - 25KVA	Genset
no 14	Pg. 13 - 3	Power Generator (Genset) - 45KVA	Genset
no 15	Pg. 13 - 3	Power Generator (Genset) - 60KVA	Genset
no 16	Pg. 13 - 3	Power Generator (Genset) - 100KVA	Genset
no 17	Pg. 13 - 3	Power Generator (Genset) - 150KVA	Genset
no 18	Pg. 13 - 6	CE Power Point & CE Power Cable	Power Point
no 19	Pg. 13 - 6	PG Power Point & PG Power Cable	Power Point
no 20	Pg. 13 - 8	Walkie Taikie	Walkie Taikie
no 21	Pg. 13 - 13	END	THANKS

* Price Depends Venue & Object
Please Contact Us for Price.



Power Generator (GenSet)

SPECIFICATION TABLE (25kVA~150kVA CLASS SUPER SOUNDPROOF TYPE)

MODEL	DCA-25USI3		DCA-45USI2		DCA-60USH2		DCA-100USI		DCA-150USK		
ALTERNATOR											
Frequency	Hz	50	60	50	60	50	60	50	60	50	60
Output Rating(kVA)	Continuous	20	25	37	45	50	60	80	100	125	150
	Standby	22	27.5	38.9	47.3	55	66	88	110	138	165
No. of Phases		3-Phase,4-Wire									
Rated Voltage*1	V	④Single Voltage (Dual Voltage is an option.)						②Dual Voltage			
Power Factor		0.8 (Lagging)									
Voltage Regulation	%	Within ±0.5									
Excitation		Brushless, Rotating Exciter (With A.V.R.)									
Insulation		Class F									
ENGINE											
Maker & Model		Isuzu BV-4LE2		Isuzu BB-4JG1T		Hino W04D-TG		Isuzu DD-6BG1T		Komatsu SAA6D102E-2-D	
Type		Inlined, Direct Injected		Inlined, Direct Injected, Turbocharged						Inlined, Direct Injected, Turbocharged, Aftercooled	
Output Rating	PS/rpm	26/1500	31/1800	46.5/1500	56/1800	66/1500	78/1800	101/1500	126/1800	154/1500	184/1800
	kW/rpm	19.1/1500	22.9/1800	34.2/1500	41.2/1800	48.5/1500	57.4/1800	74.5/1500	92.8/1800	113/1500	135/1800
No. of Cylinders-Bore×Stroke	mm	4-85×96		4-95.4×107		4-104×118		6-105×125		6-102×120	
Piston Displacement	L	2.179		3.059		4.009		6.494		5.880	
Fuel		ASTM No. 2 Diesel Fuel or Equivalent									
Fuel Consumption*2	L/h	3.6	4.5	6.7	8.4	8.3	10.2	13.4	17.1	20.5	25.1
Lube Oil Sump Capacity	L	8.5		10		16.5		22.4		22	
Coolant Capacity	L	6.8		10		11.9		20		22.4	
Battery×Quantity		80D26R×1		95D31R×1		80D26R×2		95D31R×2		95E41R×2	
Fuel Tank Capacity	L	80		170		170		225		250	
UNIT											
Dimensions	Length mm	1550		1580		2050		2650		3100	
	Width mm	790		950		950		1100		1240	
	Height mm	1000		1550		1450		1500		1600	
Dry Weight	kg	660		1100		1330		1940		2600	
SOUND LEVEL											
7m dB (A) 1500/1800 rpm (min ⁻¹)*3		50	54	51	53	52	55	55	57	55	58

*1 Rated Voltage Classification

Frequency	50Hz	60Hz
②	190~220V 380~440V	190~240V 380~480V
④	190~220V (380~440V)	200~240V (380~480V)

() indicates options.

*2 Fuel consumption is based on operation at 75% load.
*3 Sound level reflects high-speed no-load operation and is calculated by averaging the measurements at four points, each 7 meters from the source.
*4 Depending on location and area, output voltage may differ from values listed in catalog.



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



DISTRIBUTION BOARD (DB BOARD) - DB2

[Index](#)

DB2-32A with
32A 5 Core Power Cable 100ft
Rm **625.00**
Per Units

Extend 32amp
5 Core Power Cable 100ft
Rm **125.00**
Per Units



Name : DB Board (DB2)

Specifications : 415V 3Phase 32amp

: LED In/Out Signal Light

: MCB3P + ELCB3P (Communal)

Input : 32amp Commando Plug

Output : 3P32amp Commando Socket x1

1P16amp CE Socket x10

1P13amp Wall Socket x12

Dimensions : L300mm x W560mm x H1000mm

Suitable : Indoor / Outdoor

Code : DB2

STD : TB2-8*20210528#S01

Extend Rental : Add On 30% for next day event

Distribution Board (DB Board) - DB2

DISTRIBUTION BOARD (DB BOARD) - DB3

[Index](#)

DB3-100A with
100A 5 Core Power Cable 100ft
Rm **1187.50**
Per Units

Extend 32amp
5 Core Power Cable 100ft
Rm **500.00**
Per Units



Name : DB Board (DB3)

Specifications : 415V 3Phase 100amp

: Digital Amp Meter + Digital Volt Meter

: LED In/Out Signal Light

: MCB3P + ELCB3P (Individual)

Dimensions : L610mm x W610mm x H1400mm

Suitable : Indoor / Outdoor

Extend Rental : Add On 30% for next day event

Input : Direct Joining 150A Single Core

32amp Commando Plug

Output : 32amp Commando Socket x4

16amp CE Socket x18

13amp Wall Socket x18

Code : DB3

STD : TB2-4*20210528#S01

Distribution Board (DB Board) - DB3



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-372088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp

Copyright © 2021 By THE BEST STRUCTURE INDUSTRIAL SDN BHD & THE BEST RENTAL SERVICE All right reserved.

No part of this book may be reproduced or used in any manner without written permission of the copyright owner except for the use of quotations in a book review.

All photo in this catalogues is for illustration purpose only. All items or Prices shall be change without prior notice.



Junction Box Only
without Power Cable
Rm **375.00**
Per Units

Name : DB Junction Box
Specifications : 415V 3Phase 100 Amp
Input : Busbar 415V 100A
Output : Busbar 415V 100A
Dimensions : L410mm x W410mm x H600mm
Suitable : Indoor / Outdoor
Code : DBJB-01
STD : TB2-4*20210528#S01

Extend Rental : Add On 30% for next day event

MINI MCB BOARD - M1



Mini MCB Board 32A with
32A 5 Core Power Cable 100ft
Rm **500.00**
Per Units


Extend 32amp
5 Core Power Cable 100ft
Rm **125.00**
Per Units

Name : Mini MCB Board - M1
Specifications : 415V 3Phase 100 Amp
Input : 415V 32A
Output : 240V 16A - x4
Dimensions : L150mm x W215mm x H110mm
Suitable : Indoor
Code : MMCB-M1
STD : TB2-4*20210528#S01

Extend Rental : Add On 30% for next day event

RCD- 13A

RCD 13Amp
Rm **45.00**
Per Units



Name : RCD- 13A
Specifications : 240V 13A
Input : 240V 13A
Output : 240V 13A
Dimensions : L120mm x W55mm x D50mm
Suitable : Indoor
Code : RCD- T1
STD : TB2-10*20210528#S01

Extend Rental : Add On 30% for next day event



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-372088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp

PG POWER POINT & PG POWER CABLE (FOR INDOOR / NON WATER PROOF) (POWER POINT NON WATER PROOF)



PG Power Point 240V 13A Double with 30ft Power Cable
Rm **62.50** Per Units

PG Power Cable 30ft Power Cable only
Rm **25.00** Per Units

PG Power Cable 100ft Power Cable Only
Rm **62.50** Per Units

PG POWER POINT & PG POWER CABLE (FOR OUTDOOR / WEATHER PROOF PLUG & SOCKET) (POWER POINT NON WATER PROOF)



CE Power Point 240V 13A Double with 30ft Power Cable
Rm **62.50** Per Units

CE Power Cable 30ft Power Cable
Rm **25.00** Per Units

CE Power Cable 100ft Power Cable
Rm **62.50** Per Units



Extend 32amp 5 Core Power Cable 100ft
Rm **125.00** Per Units



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



CABLE RAMP 2 CHANNEL

[Index](#)



2 Channel
Rm **43.80**
Per Units


Name : Cable Ramp 2 Channel
Material : Rubber + Plastic
Dimensions : L1000mm x W250mm x H50mm
Inner Slot : 30mm x 32mm Per Channel
Suitable : Indoor / Outdoor
Code : CR-2C-01
STD : TB2-30*20210528#S01

Extend Rental : Add On 10% for next day event

Cable Ramp 2 Channel

CABLE RAMP 5 CHANNEL

[Index](#)



5 Channel
Rm **56.30**
Per Units

Name : Cable Ramp 5 Channel
Material : Rubber + Plastic
Dimensions : L1000mm x W500mm x H50mm
Inner Slot : 39mm x 39mm Per Channel
Suitable : Indoor / Outdoor
Code : CR-2C-01
STD : TB2-30*20210528#S01

Extend Rental : Add On 10% for next day event

Cable Ramp 5 Channel



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp

Copyright © 2021 By THE BEST STRUCTURE INDUSTRIAL SDN BHD & THE BEST RENTAL SERVICE All right reserved.

No part of this book may be reproduced or used in any manner without written permission of the copyright owner except for the use of quotations in a book review.

All photo in this catalogues is for illustration purpose only. All items or Prices shall be change without prior notice.



Walkie Talkie Only
Rm **25.00**
Per Units

Walkie Talkie with Earphone
Rm **37.80**
Per Units

Name : Walkie Talkie
Model : BF888s
Frequency : UHF 400-470mhz
Channel : 16 channel
Talking Rang : 3KM
Acc : Earphone
Code : WT-BF-01
STD : TB2-20*20210528#S01
Extend Rental : Add On 30% for next day event



K Plug
Two Way Radio
Earphone




THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp



Rm **102.50**
Per Units

Name : Garden Wooden Barricade White
Stock : 50 units
Colour : White

Material : Wooden + Steel
Dimensions : W5ft x H3ft
Suitable : Indoor & Outdoor

Code : BRC-5x3-B3-WDW
STD : TB14-8*2021231#S01
Extend Rental : Add On 10% for next day event



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp



- Event Barricade only
Rm **81.30**
Per Units
- Event Barricade with 1 side Canvas Printing
Rm **168.80**
Per Pcs
- Event Barricade with 2 side Canvas Printing
Rm **250.00**
Per Pcs

Name : Event Barricade 3Ft x 6Ft
Stock : 1000 units
Colour : Gray

Material : Galvanized Steel
Dimensions : W6ft x H3ft
Suitable : Indoor & Outdoor

Code : BRC-5x3-B2-GVZ
STD : OS5-1000*2021231#S01

Extend Rental : Add On 10% for next day event



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp



Net Barricade Only
Rm **81.30**
Per Units

Net Barricade with
1 side Canvas
Printing
Rm **235.00**
Per Pcs

Net Barricade with
2 side Canvas
Printing
Rm **388.80**
Per Pcs



Name : Net Barricade 5Ft x 7Ft

Material : Galvanized Steel

Code : BRC-5x3-B2-GVZ

Stock : 150 units

Dimensions : W7ft x H5ft

STD : TB3-141*2021231#S01

Colour : Gray

Suitable : Indoor & Outdoor

Extend Rental : Add On 10% for next day event



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp



Rm **15.70**
Per Units

Name : Traffic Cone
 Stock : 100 units
 Colour : Red
 Material : Plastic
 Dimensions : L400mm x W400mm
 x H700mm
 Code : TFC-01
 STD : TB5-50*2021231#S01
 Suitable : Indoor & Outdoor

Extend Rental : Add On 10% for next day event

SOLAR BARRICADE LIGHT



Rm **31.30**
Per Units

Name : Barricade Light
 Stock : 50 units
 Colour : Orange
 Material : Plastic
 Power : LED Solar
 Sun Charger 8hr
 Dimensions : L33mm x W90mm x H180mm
 Code : BL-SL-OR
 STD : TB5-4*2021231#S01
 Suitable : Outdoor

Extend Rental : Add On 10% for next day event



THE BEST STRUCTURE INDUSTRIAL SDN BHD (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian Kg. Baru Balakong, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia

www.thebest.com.my | sales@thebest.com.my | H/P: 017-7334088 / 017-7374088 / 017-3732088 | Tel: 03-8962 2822 | Fax: 03-8962 2832



WhatsApp



The Best Structure Industrial Sdn Bhd (802457-K)

No.1, Jalan Suria Park 1, Suria Park Kawasan Perindustrian
Kg. Baru Balakong, 43300 Seri Kembangan, Selangor D. E.
H/P: 019-221 8188 Tel: 03-8962 2822 Fax: 03-8962 2832
Email: sales@thebest.com.my

www.thebest.com.my



WhatsApp